

6391-0000-F 1/4

#### BOUJINTEX HOKOU BOUKATUKOTUZAI

## SAFETY DATA SHEET

<1. Product and company identification >

Product Name BOUJINTEX HOKOU BOUKATUKOTUZAI

Reference No. 6391-0000

Company MIZUTANI PAINT CO., LTD.

Address 03-90,NISHIMIKUNI 4-CHOME YODOGAWA-KU,OSAKA,JAPAN

Section concerned Quality Assurance Dep.

Phone No. 06-6394-2653 FAX No. 06-6391-3429 Emergency contact Mizutani Paint Co., Ltd. Production Dep.

Emergency phone No. 06-6391-3151

Product type Subsidiary material (aggregate)
Principal use Building materials use, others

Date Jun.13,2003 Revision day Aug.18, 2017

<2. Hazards identification > [GHS classification]

Acute toxicity (oral) : Classification not possible Acute toxicity (skin) : Classification not possible

Acute toxicity (inhalation: gas) : Classification not possible Acute toxicity (inhalation: vapour) : Classification not possible Acute toxicity (inhalation: dust, mist) : Classification not possible

Skin corrosion / irritation : Classification not possible

Serious eye damages / eye irritation : Classification not possible

Respiratory sensitization : Classification not possible Skin sensitization : Classification not possible Germ cell mutagenicity : Classification not possible

Carcinogenicity: Classification not possible Reproductive toxicity: Classification not possible

Specific target organ toxicity single exposure: Not classified Specific target organ toxicity repeated exposure: Not classified

Aspiration hazard: Classification not possible
Aquatic toxicity (acute): Classification not possible
Aquatic toxicity (chronic): Classification not possible
Hazardous to the ozone layer: Classification not possible

[GHS label elements including precautionary statements]

[Precautionary statements]

### [Prevention]

- · Keep container tightly closed.
- · Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- Use explosion-proof electrical/ventilating/lighting/ equipment.
- · Do not eat, drink or smoke when using this product.
- · Wear protective gloves/protective clothing/eye protection/face protection.
- · Use only outdoors or in well-ventilated area.
- · Wash hands thoroughly after handling.
- · Avoid release to the environment.

### [Response]

• In case of fire: Don't use water. Use the specific extinguishing media (Powder, CO 2, Foams).

1



6391-0000-F 2/4

#### BOUJINTEX HOKOU BOUKATUKOTUZAI

- If in eyes: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a physician.
- · If swallowed: Rinse mouth with water. Do not induce vomiting. Immediately call a physician.
- · If on skin: Remove all contaminated clothing. Wash with plenty of soap and water.
- · Arrange medical treatment by a physician on injured skin and painful parts.
- · If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
- If exposed or concerned, or if you feel unwell: Get medical advice/attention.
- · At the leakage: Collect spillage.

### [Storage]

· Store in a dry place. Keep container tightly closed in the locked place.

#### (Disposal)

- Dispose of contents / container to waste in accordance with local / regional / national / international regulations (to be specified).
- <3. Composition/information on ingredients >

Distinction of chemical or mixture : mixture Ceramic materials

<4. First-aid measures >

#### Eve contact:

- · Wash 15 minutes or more with plenty of clean water immediately. Wash completely to the reverse side of an eyelid.
- · Receive the diagnosis of physician as soon as possible.

#### Skin contact:

- · Wipe quickly clinging matter with clean cloth.
- · Wash the affected area with plenty of running water using a mild soap or skin shampoo. Don't use solvents and thinner.
- · Arrange medical treatment by a physician on injured skin and painful parts.

## Inhalation:

- · When a granular material is inhaled, gargle.
- When a granular material is inhaled and feeling worsens, receive a doctor's diagnosis immediately. Indestion:
- · If swallow in the wrong, gargle.
- If swallow in the wrong, keep the victim quiet and arrange medical inspection by physician, immediately.
- · Prevent to swallow the vomiting.
- · Don't vomit things forcibly except dependence on the instruction of physician.
- <5. Fire-fighting measures >

Extinction medicine: There is no combustion in this product.

- < 6. Accidental release measures >
  - · Wear proper protective equipment's (Gloves, protective mask, apron and goggles)
  - · Take up and place in closed container and keep in safety zone.
  - · Ensure treatment of the contaminated and waste in compliance with government requirements.
  - · Collects with the shovel, cloth slice, and etc. For large spills, dike for pollution further release.
  - · The powder is a flammability. There is danger of burning it. Fire attention
  - · Be careful not to be exhausted to the river etc. and be careful not to cause the influence on the environment.
- <7. Handling and storage >

## Handling:

- · Use only in the well-ventilated areas.
- · Keep container tightly and closely.
- Wear a protection tool appropriate which touches eyes, the skins, mucous membranes, and clothes.



6391-0000-F 3/4

#### BOUJINTEX HOKOU BOUKATUKOTUZAI

· Wash your the hand and face, etc. well after handling. Don't bring the pollution protection tool into the rest room.

### Storage:

- · Protect from direct sunlight.
- · Store in a cool dry, well-ventilated location.
- · Lay the powder dust as much as possible.
- <8. Exposure controls/protection >

Exposure density of hazardous, harmful element: Information is not possessed.

### Equipment requirement:

- · Prevent remaining vapors with adequate ventilation.
- · Dust is not accumulated.
- · Don't use equipment having high temperature and source of fire around handling this materials.

### Protection tool:

- · Eye protection; Wear protective goggles.
- · Skin protection; Wear impervious clothing such as gloves, apron and body suits.
- · Respiratory protection ; Wear the dustproof mask.
- < 9. Physical and chemical properties >

## Appearance:

• Form : Powder • Color : Gray

· Odor: None

Specific temperatures/temperature ranges at which changes in physical sate occur:

- Density ; 0.60  $\sim$  0.95 g/cc
- · Solubility ; It doesn't melt to water

## <10. Stability and reactivity >

## Stability:

· There is no problem in stability in preservation under the room temperature.

### Hazardous polymerization reaction:

The product unit is not reaction.

### Conditions to avoid:

· Information is not possessed.

## Incompatible materials

· Information is not possessed.

# Hazardous decomposition products;

· CO and a harmful gas such as NOx might be generated by combustion etc.

### <11. Toxicological information >

Acute toxicity: Information is not possessed.

Sensitization: Information is not possessed.

Carcinogenicity: Information is not possessed.

Mutating primeval: Information is not possessed.

Reproduction toxicity: Information is not possessed.

Mutagenicity: Information is not possessed.

Others information: Information is not possessed.

## <12. Ecological information >

- · Note the handling of the leakage thing and waste because it might influence the environment.
- Deal so that neither the product nor the washing water may flow directly to ground, the river, and the drain ditch.
- Information is not possessed about decomposition, accumulation, and the fish toxicity of the product.

#### <13. Disposal considerations >

• Waste paints and opened containers should be asked to dispose with licensed industrial waste treatment company.



6391-0000-F 4/4

### BOUJINTEX HOKOU BOUKATUKOTUZAI

- · Don't wash away the water used for cleaning of vessels and equipment into shower or water way.
- The wastes producing form process of water refining and of incineration should be disposed of in accordance with governmental laws and environmental control regulations or asked of dispose with licensed special company.
- <14. Transport information >

#### General:

- · Transport and store according to general caution and instructions in before mentioned comment.
- · Load the product for the fall and no damage after it is confirmed that there is no leakage in the container.
- · Do the collapse of cargo piles prevention surely.

Land transportation: It doesn't correspond to regulations.

Maritime transportation: It doesn't correspond to regulations.

Air transportation: It doesn't correspond to regulations.

U.N. Number: It doesn't correspond to regulations.

<15. Regulatory information >

It doesn't correspond to related regulations.

<16. Other information >

The main quotation document:

- · Japan Paint Manufacturers Association edit " The SDS label preparation guidebook corresponding to GHS"
- · Japan Paint Manufacturers Association edit "The substance database for SDS"
- · Solvent pocket book

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication. Nothing herein in to be construed as a warranty, express or implied.

In all cases it is the responsibility of the users to determine the applicability of such information or the suitability of any products for their own particular purpose.